

USE AND DISTRIBUTION NOTICE

- Santa Clara County RACES authorization is granted to use and duplicate this material as-is, as long as this page and the copyright notices on each page are included, acknowledging Santa Clara County ARES/RACES as the holder of the copyright.
- Permission is granted to adapt this presentation to your needs as long as you acknowledge our copyright and include a note similar to "adapted with permission from Santa Clara County ARES/RACES."
- For additional information on training or any of our programs, send an email to: info@scc-ares-races.org



An Introduction to Emergency Communications

Santa Clara County ARES®/RACES/CRU


Revised: June 17, 2024

ARES and Amateur Radio Emergency Service are registered service marks of the American Radio Relay League, Incorporated and are used by permission.

© Copyright 2024 Santa Clara County ARES®/RACES. All rights reserved.

2






An Introduction to Emergency Communications

Santa Clara County ARES®/RACES/CRU

Housekeeping


- Introductions
- Pen/pencil & paper
- Cell phones on silent or vibrate
- Side conversations
- Questions
- Breaks
- Restrooms
- In case of emergency
- No wandering or exploring other areas of the building.



© Copyright 2024 Santa Clara County ARES®/RACES. All rights reserved.

Introductions

- Name
- Call Sign
- City
- Year First Licensed
- Do you have a radio yet?
- Have you been on the air yet?



Today's Agenda

- Voice Technology (VHF/UHF FM)
- Voice Operating Techniques
- Additional EmComm Modes
- Radios and Accessories
- EmComm Organizations
- Additional Training & Next Steps
- After Class Exercise: Get On The Air

Learning Objectives

Learning Objectives



- At the end of this class, you will be able to
 - Explain VHF/UHF FM technology used in EmComm
 - Use band plans, frequency lists, repeater directories
 - Configure your radio for simplex & duplex operations
 - Participate in a directed net
 - Make direct contacts
 - List three other modes used in EmComm
 - Select an EmComm radio and accessories
 - Understand local EmComm organizations
 - Understand what to do next, after this class
 - Make real on-the-air contact with Net Control op

VHF/UHF FM Voice Technology


Bands and Frequencies
Simplex, Duplex and Repeaters
Making Sense of Repeater Listings
Setting up your Radio

© Copyright 2024 Santa Clara County ARES®/RACES. All rights reserved.

9

Some Important Terms


- VHF – Very High Frequency
 - 30 to 300 MHz
- UHF – Ultra High Frequency
 - 300 to 3000 MHz (3 GHz)
- FM – Frequency Modulation
 - The information in the signal is represented by variations in the frequency around a central carrier
 - The amount of variation is called the “deviation”



Characteristics of VHF/UHF FM

- Short range
 - Point-to-point range typically < 5-7 miles (portable/mobile)
 - Influenced by line-of-sight; dependent on antenna height
- Frequency re-use
 - Short range allows for multiple conversations on the same frequency throughout the region
- Well suited for local emergency communications
 - Portable (handi-talkie or “HT” and mobile stations)
 - Clear voice quality (think of FM vs. AM broadcast)
 - Coverage can be extended by repeaters

VHF/UHF Amateur Bands





<http://www.arrl.org>

© Copyright 2024 Santa Clara County ARES®/RACES. All rights reserved.

Primary VHF/UHF Bands for EmComm

- 2 meter band (commonly called “2 meters”)
 - 144-148 MHz (VHF)
- 70 cm band (commonly called “440”)
 - 420-450 MHz (UHF)
- Also, 1.25 meter band (“220” or “222”)
 - 222-225 MHz (VHF)
 - In SCCo ARES/RACES, used for packet comms
- Where do the names come from?
 - $300/\text{Frequency (MHz)} = \text{Wavelength (m)}$
 - Example: $300 / 148 \text{ MHz} \approx 2 \rightarrow 2\text{m band}$




© Copyright 2024 Santa Clara County ARES®/RACES. All rights reserved.

Selecting a Frequency

- Questions:
 - How do we pick a frequency to use?
 - How will people know where to find us?
 - How do we avoid interfering with other users?
 - How do we avoid interfering with other modes?
 - Including ones that we can't even hear on our FM radio!
- Answers:
 - Band plans
 - Allocate blocks of frequencies to particular modes
 - Frequency Lists
 - Identify specific frequencies for specific purposes

2m Band Plan (Northern California)




<http://www.narcc.org> – Northern Amateur Relay Council of California

© Copyright 2024 Santa Clara County ARES®/RACES. All rights reserved.

FM Voice Operating Modes


SIMPLEX

Single frequency - one station at a time




DUPLEX


Two frequencies - one station at a time



How Simplex Communication Works...




How Simplex Communication Works...



VHF & UHF are Influenced by Line of Sight


Buildings, hills, mountains can block or degrade transmission



So, how can we overcome these limitations?

Repeaters

- Usually placed on towers, on top of buildings, hills, or mountains
 - Extends line of site over top of many types of obstacles
 - Extends range between end points
 - Much better antenna located up (very) high; more power




© Copyright 2024 Santa Clara County ARES®/RACES. All rights reserved.

21

What is a Repeater?


- A repeater:
 1. Receives and demodulates an RF signal
 2. Regenerates the audio information
 3. Modulates the audio on a new RF carrier and retransmits
- Repeaters use duplex communications
 - Receives on one frequency (called the “input”)
 - Transmits on a different frequency (called the “output”)
 - Difference between output & input is the “offset” **important point**

How a Repeater System Works



© Copyright 2024 Santa Clara County ARES®/RACES. All rights reserved.

How a Repeater System Works



Understanding Repeater Listings



- Typical repeater directory entry looks like:

▪ N6NFI 145.230 MHz – 100.0

CALL SIGN
of repeater

Repeater OUTPUT
frequency (you receive
on this frequency)

OFFSET

- "-" standard negative offset,
input lower than output
- "+" standard positive offset,
input higher than output
- Amount of offset shown if
non-standard

TONE
(frequency of tone
required to access)

Repeater Output Example

- Repeater listing:

- N6NFI 145.230 MHz – 100.0

CALL SIGN
of repeater

Repeater OUTPUT
frequency (you receive
on this frequency)

OFFSET

- "-" standard negative offset,
input lower than output
- "+" standard positive offset,
input higher than output
- Amount of offset shown if
non-standard

TONE
(frequency of tone
required to access)

Tune radio to the repeater OUTPUT to hear the repeater


Repeater Offset

- Difference between repeater output and input is the “offset”
- 2m repeaters
 - may have positive or negative offsets – check band plans
 - standard offset amount is 0.6 MHz (600 KHz)
- 70cm/440 repeaters
 - generally have positive offsets of 5 MHz
- 1.25m/220 repeaters
 - Generally have a minus offset of 1.6 MHz
- Most repeaters use standard offset amounts
 - Typically, just configure the offset direction (+/-);
 - Radio applies standard offset amount
 - Some radios even pick the correct offset direction automatically
 - Take care – band plans differ across the country

Repeater Offset Example

- Repeater listing:


- N6NFI 145.230 MHz - 100.0



Example:

- This repeater uses a negative (or "minus") offset
- Input frequency is a lower frequency than output frequency
- Offset amount is standard (otherwise, it would be shown)

Repeater Offset Example



How it Works:

- You tune radio to repeater output frequency of 145.230 MHz & set minus offset
- Your radio calculates input frequency = 144.630 MHz
 - $145.230 \text{ MHz (output)} - 0.600 \text{ MHz (2m standard offset)} = 144.630 \text{ MHz (input)}$
- When you press PTT, your radio automatically switches to 144.630 MHz
- When you release PTT, your radio automatically switches back to 145.230 MHz

Repeater Tone Example

- Repeater Listing:

- N6NFI 145.230 MHz – 100.0

CALL SIGN
of repeater

Repeater OUTPUT
frequency (you receive
on this frequency)

OFFSET

- "-" standard negative offset,
input lower than output
- "+" standard positive offset,
input higher than output
- Amount of offset shown if
non-standard

TONE
(frequency of tone
required to access)


Example:

- This repeater requires a 100 Hz tone to accompany the transmission

Transmitting CTCSS Tones

- “PL” or “PL Tone” or “CTCSS” or “Tone Encode”
 - “PL” = “Private Line” (old Motorola term, still commonly used)
 - “CTCSS” = Continuous Tone-Coded Squelch System
- A sub-audible tone sent by your radio along with your voice transmission
 - About 40 discrete values ranging from 67.0 to 250.3Hz
 - Functions like a “key” to unlock the repeater receiver to accept the signal
- Repeaters
 - Most repeaters require that you send the proper tone
 - If you don’t send the tone, the repeater will not repeat your transmission
- Setting up to transmit CTCSS tone involves two steps:
 - Enable tone
 - Kenwood = “Tone” or “T”; Yaesu & Icom = “Tone”
 - Set tone frequency
 - Common error is forgetting to set tone, or setting tone to wrong frequency

Repeater Tone Example




Example:

- Repeater requires 100 Hz tone
- No tone (or wrong tone) is sent
- Repeater does NOT repeat the transmission

© Copyright 2024 Santa Clara County ARES®/RACES. All rights reserved.

Repeater Tone Example




- Example:
- Repeater requires 100 Hz tone; 100 Hz tone is sent
 - Repeater receives and retransmits signal

Tone Squelch / CTCSS Decode

- Just like a repeater requires a tone when receiving ...
- You can configure your radio to require a tone when receiving
 - This is called “tone squelch” or “CTCSS decode”
 - Allows you to ignore transmissions not accompanied by the tone
 - Keeps local noise from exceeding squelch level
 - Display: Kenwood = “CTCSS” or “CT”; Yaesu & Icom = “TSQL”
- **BUT** ... using tone squelch will prevent reception if the other end is not sending tone!
 - Simplex
 - Most simplex users do NOT send tone – **this is changing**
 - Repeaters
 - Some repeaters also send a tone when they transmit
 - But many repeaters do NOT send a tone – check your settings

Tone Squelch Example



Example:

- A sends tone with its transmission
- Repeater hears tone and repeats transmission; also sends tone
- B has tone squelch configured; receives repeater transmission with tone
- B does not receive noise or other signals without tone

Tone Squelch / CTCSS Decode (cont.)

- Tone squelch is mentioned here for completeness and so you don't confuse it with regular repeater input tone
- Recognizing a problem
 - If: S-meter deflects but no sound is heard; volume is up; squelch is down
 - Then: tone squelch is ON but other end is not sending tone
 - Check Display for: Kenwood = "CTCSS" or "CT"; Yaesu & Icom = "TSQL"
 - Therefore: turn off tone squelch
- Recommendation:
 - Don't use this feature until you are familiar with your radio and the local repeater capabilities

Putting it All Together

Simplex (No Repeater):

**Example Simplex Frequency:
147.540 MHz**

- Set the frequency
- Disable offset (set to blank or none)
- Disable tone (usually)
- (Optional) Store setup in memory
 - Highly recommended

Seek additional help from fellow hams, local club members, or your ARES/RACES Emergency Coordinator or Assistant ECs

Putting it All Together

Duplex (Repeater):

- Set the output frequency
- Offset
 - Set offset direction (“+” or “-”)
 - Offset amount is usually standard
- Tone
 - Enable Tone (“T” or “Tone”)
 - Set the tone frequency
- (Optional) Store setup in memory
 - Highly Recommended

Example Repeater Listing:
N6NFI 145.230 MHz – 100.0


Seek additional help from fellow hams, local club members, or your ARES/RACES Emergency Coordinator or Assistant ECs

© Copyright 2024 Santa Clara County ARES®/RACES. All rights reserved.

38

Programming Your Radio Memory

- Know how to program your radio with the keypad
 - Simplex and duplex (offsets)
 - Tones / PL / CTCSS
 - Keep radio manual or “cheat sheet” in your Go-Kit
 - “Nifty Accessories” (<http://www.niftyaccessories.com>)
 - SPECS website: <https://www.specsnet.org/radio-cheat-sheets>
- Programming software is nice
 - Easier to program many frequencies
 - Helps when maintaining multiple radios
 - **But ... you won't have it with you in the field!**
 - Not available for all radios – check before you buy
- Store all commonly used frequencies
 - Program into the radio's memory
 - Keep a copy of the frequency list in your Go-Kit
 - County List: <https://www.scc-ares-races.org/operations.shtml>
 - City List: consult your city EC or ARES/RACES website



Break

© Copyright 2024 Santa Clara County ARES®/RACES. All rights reserved.

40

Voice Operating Techniques

Communication Fundamentals

Directed Net Basics

Directed Net Exercises

Net Control Examples

© Copyright 2024 Santa Clara County ARES®/RACES. All rights reserved.

41

A Radio is Not a Telephone!




BECAUSE:

- When YOU talk, you can't hear
 - The receiver is cut-off while the transmitter is operating
- When YOU talk, no one else can talk
 - If you talk too long, you may prevent emergency traffic
 - Many repeaters have timers that help to enforce this
- If EVERYONE talks, NOBODY understands
 - A “double” occurs and all you hear is garbled noise
- SO...




Listen First!




- Simplex or repeater:
 - Leave a pause before keying up to allow others to break in
 - Check your volume (up) and squelch (down)
- Simplex
 - You may not be able to hear someone who can hear you (they've got a better antenna or location)
 - Always ask, "Is this frequency in use?"
 - Usually, someone who can hear you both will tell you
- Repeaters
 - What you're really listening to is the repeater itself
 - So, if you can hear anyone (or repeater itself), then you can hear everyone
 - Listen for a brief period to make sure others are not pausing during a conversation
 - Wait for the courtesy tone



Courtesy Tone

- Audible tone from repeater after each transmission
- Indicates when it is OK to transmit
 - After other person has dropped carrier
 - Plus slight pause for others to break in
- Eliminates need for saying “over” or “go ahead”
- Sent by many (not all) repeaters
 - N6NFI/R courtesy tone 
 - W6ASH/R courtesy tone 
 - AA6BT/R courtesy tone 
- Wait until you hear the courtesy tone and pause slightly before you transmit

When Do You Speak?



- For EmComm, speak ONLY if you have to
- Wait for the courtesy tone and/or leave a gap
 - If truly urgent, use “break” or “priority” or “emergency” as appropriate
- Key the PTT and pause slightly
 - Avoids clipping your first syllable; wait longer with linked repeaters
- Speak Accurately, Briefly, Clearly
 - Keep it short and accurate
 - Use plain English; no 10-codes or Q-signals or abbreviations
 - Stick to the facts; don’t speculate; don’t assume
 - Remember that others are listening
 - General public, news media, ...
 - Avoid personal info, sensationalism
 - Be professional at all times
- Release PTT as soon as you finish speaking; don’t create “dead air”
- In a Directed Net, be sure to follow Net Control’s instructions

Standard ITU Phonetics

A - alfa (AL-fa)	N - november (no-VEM-ber)
B - bravo (BRAH-voh)	O - oscar (OSS-cah) *
C - charlie (CHAR-lee)	P - papa (pah-PAH) *
D - delta (DELL-tah)	Q - quebec (keh-BECK) *
E - echo (ECK-oh)	R - romeo (ROW-me-oh)
F - foxtrot (FOKS-trot)	S - sierra (see-AIR-rah)
G - golf (GOLF)	T - tango (TANG-go)
H - hotel (hoh-TELL)	U - uniform (YOU-ni-form)
I - india (IN-dee-ah)	V - victor (VIK-tah) *
J - juliet (JU-lee-ETT)	W - whiskey (WISS-key)
K - kilo (KEY-loh)	X - x-ray (ECKS-RAY)
L - lima (LEE-mah)	Y - yankee (YANG-key)
M - mike (MIKE)	Z - zulu (ZOO-loo) [not zed]

* non-standard voicing

- If there is a chance of misunderstanding, spell it out with “I spell”:
 - “go to Kay Street” → “go to Kay, I spell kilo alfa yankee, Street”

Pronouncing Numerals

0 - zero (ZEE-row)

1 - one (Wun)

2 - two (Too)

3 - three (Tree) *

4 - four (FOH-wer) *

5 - five (Fife) *

6 - six (Sicks)

7 - seven (SEV-vin)

8 - eight (Ate)

9 - nine (NINE-er) *

* non-standard voicing

- Multi-digit numbers are spoken as a string of single digits:
 - 600 = “six zero zero”
- Preceded by the word “figures”
 - “Please copy 109” → “Please copy, figures, one zero niner”
 - “Requesting 16 blankets” → “Requesting, figures, one six blankets”

Directed Net Basics

Participating in a Directed Net

Calling Net Control

Acknowledging a Call

Ending a Call

Calling Another Station

© Copyright 2024 Santa Clara County ARES®/RACES. All rights reserved.

48

What is a “Directed Net”




- One station (“net control”) controls/manages the communication flow
 - Others respond to Net Control when called
 - Others must call “Net Control” to get permission before calling anyone else
- Generally used with more than four people
- A net control operator can:
 - Coordinate communications for best efficiency
 - Prioritize use of the net for the most urgent traffic
 - Record a log of net activity

Participating in a Directed Net

- Route all communications through “Net Control”
 - Get permission before contacting anyone else
- When called, answer PROMPTLY
 - Monitor the radio continuously
 - Answer immediately if called
 - The entire net is waiting on you to answer!
 - End your message with your call sign
 - Tells Net Control that you have nothing more to add
 - Assures that you comply with FCC ID requirements
- Check-in and Check-out
 - Don’t leave the net without checking out!
 - Otherwise, “Net Control” wastes time looking for you
 - They may send someone to find you; see if you’re o.k.
 - You’ve now become part of the problem!

Calling Net Control



- If the Net has been quiet for a while, you might say:
 - “Net Control, this is <your ID> checking in”
 - “Net Control, this is <your ID> with one priority message”
- To convey a message or info, indicate what it is so Net Control can prioritize:
 - “<your ID> with one announcement”
 - “<your ID> with one Immediate message”
- On an very active net, usually just say your ID:
 - “<your call sign>”
- Wait for Net Control to answer
 - Don’t call repeatedly; NC probably heard you and is busy
 - Net Control will decide when you can speak
 - NC: “<your ID>, go ahead”
- Then you can speak... keep it brief

Acknowledging a Call



- When Net Control calls you ...
- Pause briefly before pressing PTT
 - Wait for the courtesy tone or slightly longer
 - Gives others a chance to break in
- Then respond right away
 - Don't keep the net waiting
 - Depress PTT, wait a second and then talk
- Say, "This is <your ID>, go ahead"

Ending a Call



- The person who initiated the call ends it
- End a call:
 - Say “... this is <your call sign>.”
 - We don’t use “73” - keep it short
 - Maintains compliance with FCC Part 97 to ID at end of last transmission
- But if you forgot to give your call sign:
 - Say “This is < your call sign> for ID” when the net is free

Calling Another Station Directly

- We don't (usually) use "CQ" in FM EmComms
- Say "<their ID>, this is <your ID>":
- Wait until they acknowledge you
 - "this is <their ID>, go ahead", or
 - "<your ID>, this is <their ID>, go ahead"
- Then you can speak... keep it brief
- Remember to ID at the end of the call
- In a directed net:
 - You must ask Net Control to "go direct" with another station
 - If possible, Net Control will give you permission to "go direct"
 - When finished, turn it back to Net Control
 - "this is <your ID>, back to Net Control"



Directed Net Exercises

Check-In

Relays

Tactical Call Signs

Announcements

© Copyright 2024 Santa Clara County ARES®/RACES. All rights reserved.

55

Check-In



- Check-in is how you make yourself known to Net Control
- Net Control directs the process; follow their instructions
 - NC: “Will all stations in Sunnyvale, please check in now?”
 - NC: “Will all stations with call sign suffixes beginning with Alpha thru Lima please check in now”
 - The suffix is the letters after the number in your call sign
KE6AGJ W6XSC N6NAC AA6BT
- Speak slowly, enunciate clearly, make use of phonetics
 - The entire net slows down if NC needs to ask for a “fill” or repeat
 - Gives Net Control time to write it down

Exercise: Net Check-In

NC	This is <NC call sign>. My name is <name>, Net Control for the Training Net. Stations with Emergency or Priority traffic may break in at any time.
NC	We will now take check-ins by call sign suffix. Will all stations with call sign suffixes beginning with Alpha through Lima, please check-in now. I'll take the first five call signs
Various	<callsign#1> (phonetically) <callsign#2> (phonetically)
NC	Net control acknowledges <callsign#1>, <callsign#2> -- or -- "None heard." Are there any other stations with call sign suffixes Alpha through Lima, or stations that I missed?
NC	None heard. Will all stations with call sign suffixes beginning with Mike through Zulu, please check in now. I'll take the first five call signs
Various	<callsign#3> (phonetically) <callsign#4> (phonetically)
NC	Net control acknowledges <callsign#3>, <callsign#4> -- or -- "None heard" Are there any other stations with call sign suffixes Mike through Zulu, or stations that I missed?
NC	None heard. Thank you all for checking in. This is <NC call sign>

Relays



- Sometimes, a station cannot be heard by net control
 - Very weak station (poor antenna, bad location, low power)
 - Net Control may not be in an ideal location or have an ideal antenna (emergency situation, temporary NC)
- All participants need to actively monitor check-ins and acknowledgements to see if Net Control misses anyone
- If you hear a station that Net Control misses, you should relay the info to Net Control

Exercise: Net Check-In w/ Relay

NC	This is <NC call sign>, My name is <name>, Net Control for the Training Net.
NC	We will now take check-ins by call sign suffix. If you hear a station that I miss, please relay it to me. Will all stations with call sign suffixes beginning with Alpha through Zulu, please check in now.
Check-in #1 Check-in #2	<callsign#1> <callsign#2> ...
NC	Net control acknowledges <callsign#1>, <callsign#2>, ... Are there any other stations with call sign suffixes Alpha through Zulu, or stations that I missed?
Relay Station	"Relay", <your-call-sign>
NC	Go ahead <relay's call sign>
Relay Station	Net Control, I heard <weak-station-call-sign>. This is <your-call-sign>.
NC	Thank you. Acknowledging <weak-station-call sign>. Are there any other stations with call sign suffixes Alpha through Zulu or stations that I missed?
NC	None heard. Thank you for checking in. This is <NC call sign>

Tactical Call Signs (or Tactical IDs)

- Identifies a location or function instead of an individual
 - Examples: “Checkpoint 3”, “Rover 1”, “John’s Shadow”, “Net Control”
- Allows Net Control to manage resources without regard to who is staffing any particular location or function
 - Simple, plain English
 - Tactical call stays the same throughout the incident or event
 - Use your tactical call consistently
 - Contact Net Control or others by their tactical call
 - Listen for your tactical call and respond promptly when called

IMPORTANT: Does not eliminate FCC requirement to ID with your FCC call sign at least every 10 minutes and at the end of your last transmission.

- It may be longer than 10 minutes before Net Control gets back to you again
- So, finish your transmission with your FCC call sign

Exercise: Tactical Call Signs


NC	This is <NC call sign>, My name is <name>, Net Control for the Sitting Left Net.
NC	I will now poll all observers for a count of people sitting to their left. When you hear your call sign, report the number of people who are sitting to your left.
NC	Observer 1
Observer 1	Observer 1 reports <#> people sitting to my left. This is <your call sign>.
NC	Acknowledge # people. Observer 2
Observer 2	Observer 2 reports <#> people sitting to my left. This is <your call sign>
NC	Acknowledge # people. Observer 3
Observer 3	Observer 3 reports <#> people sitting to my left. This is <your call sign>
	... Etc.
NC	Poll of observer stations complete. This is net control, <your call sign>

Exercise: Announcements


NC	This is <NC Call Sign>, Net Control for the donut net. We will now proceed with announcements. If you have an announcement, please state your call sign only at this time.
#1	<your call sign #1>
#2	<your call sign #2>
NC	Net control acknowledges <callsign#1> and <callsign#2>. <callsign#1>, go ahead with your announcement.
#1	Thank you Net Control. We'd like to announce free donuts for all Los Altos hams available at Jim's house from 8pm to 9pm today. The donuts are free for Los Altos hams only. This is <callsign#1> back to Net Control.
NC	Thank you <callsign#1>. If there are any questions, please state your call sign now.
NC	None heard. <callsign#2>, go ahead with your announcement.
#2	Thank you Net Control. We would also like to announce free donuts for all Sunnyvale hams. Just go to Jim's house and tell him that you're from Los Altos. This is <callsign#2> back to Net Control.
NC	Thank you <callsign#2>. If there are any questions, please state your call sign now.
NC	None heard. This is <NC call sign>

Net Control Examples

Net Control Example

- Milpitas Quake – Oct 2007 (3m45s) 
 - AA6BT repeater; weekly SVECS net at time of quake
 - Listen for the following:
 - Check-ins; Net control calls on KE6AGJ, Larry Carr, DEC
 - Larry makes announcement [clipped]; back to NC
 - Net control solicits questions
 - Questioner talks to NC, not directly to Larry
 - NC asks Larry to answer question
 - Larry answers question [clipped]; earthquake occurs [static]
 - Larry assumes net control function, announces intentions
 - Some initial vague reports; WA6UBE w/ “double”
 - Larry begins directing traffic; net settles down
 - What aspects of your training did you hear?
 - Comments? Observations?

Net Control Example

- Loma Prieta Quake – 1989 (2m40s) 
 - W6ASH repeater 10 minutes after quake
 - Listen for the following:
 - Net Control request someone turn off timer
 - Repeater control operator answers; will do it shortly
 - Net Control directs multiple callers, in order
 - Net Control hand-off to new net control operator, N6FW
 - Repeater control operator turns off timer
 - Net Control resumes collecting damage reports
 - What aspects of your training did you hear?
 - Comments? Observations?

Additional EmComm Modes




Packet

APRS

HF (various modes)

Packet


- Send and receive data via radio
 - Similar to TCP/IP packets over Ethernet
- Like using an e-mail program
- Text messages, official forms, complex spelling (drug names, addresses), cut-and-paste from other apps




© Copyright 2024 Santa Clara County ARES®/RACES. All rights reserved.

Automatic Packet Reporting System

- <http://www.aprs.org>
- Special packet network
- Position
 - Connect to GPS
 - Beacon location information as you travel
- Weather
 - share your weather station info
- Short messages






Google APRS



© Copyright 2024 Santa Clara County ARES®/RACES. All rights reserved.

HF (High Frequency = 3 – 30 MHz)

- 10m and lower bands
- Regional, national, international communications
- SSB, CW, data modes ...
- Local voice net: Tuesdays, 2030 hrs
 - Currently on 3.878 MHz (75m LSB)



© Copyright 2024 Santa Clara County ARES®/RACES. All rights reserved.

69

Break

© Copyright 2024 Santa Clara County ARES®/RACES. All rights reserved.

70



CalEOS

71

Radios & Equipment for EmComm

First Radio for EmComm

Accessories

Antennas

Second Radio

Other Gear

© Copyright 2024 Santa Clara County ARES®/RACES. All rights reserved.

72

First Radio for EmComm

- Handheld (a.k.a. handi-talkie or HT)
 - Basic entry point, least expensive radio option
- 2m/70cm dual-band HT needed for EmComm
 - Dual-receive is recommended
 - Look for 5 watts power output on (rechargeable) batteries
- What are others using (advantage: easy to get help)
 - Yaesu, Kenwood, ICOM, Alinco, ...
 - You must be able to program it in the field w/o a computer
 - **Be cautious of the cheap imports, many are not legal to use.**
- ARRL Article “Choosing a Ham Radio”
 - <https://www.arrl.org/buying-your-first-radio/>
 - Also included in *The Ham Radio License Manual* from ARRL



© Copyright 2024 Santa Clara County ARES®/RACES. All rights reserved.

Important HT Accessories

- Batteries
 - Spare rechargeable battery packs
 - Usually provides higher power
 - Need 3000 mAH for 12 hours in the field
 - Alkaline battery pack (fill with AA)
- Cigarette lighter cable
 - Allows charging batteries in car
- Higher gain HT Antenna
 - Extendable whip for stationary use
 - Flexible, higher-gain for daily use
- Antenna connectors & adapters
 - SMA, BNC, PL-259 (UHF), N
 - Be able to connect your HT to all other cable types



© Copyright 2024 Santa Clara County ARES®/RACES. All rights reserved.

74

Mobile/Field Antennas

- Stay in contact with net control while mobile
- VHF/UHF FM is usually vertically polarized
 - Omni-directional; Best for mobile use
- Check suitability for the mounting type
 - Mag mount won't work on fiberglass vehicles
 - In a pinch, use a cookie sheet and duct tape
 - Some antennas require a ground connection
 - Not suitable for magnetic or motorized mounts
- Roll-up J-pole antenna
 - Use string or tape to suspend from tree or pole
- Check connector type
 - Be able to adapt to your HT's connector



© Copyright 2024 Santa Clara County ARES®/RACES. All rights reserved.

75

Speaker/Mic or Headset



- Speaker-Mic
 - Combination speaker and microphone
 - Clip to your collar and keep your radio out of the cold/rain.
 - Not ideal for noisy or quiet environments
 - Some have an earphone jack for noisy environs
 - Radio chatter heard by surrounding people
- Headset
 - Headphone/boom-mic combination
 - Works well in noisy or quiet environments
 - Single ear allows listening to radio and others
 - Don't cover both ears while driving!
 - Very noisy environments may require dual ear
 - Radio chatter not heard by surrounding people
 - Also useful with mobile or base station

© Copyright 2024 Santa Clara County ARES®/RACES. All rights reserved.

76

Carrying Your Radio

- Your hands must be free so you can work
 - Writing, carrying equipment, holding clipboard, ...
- You'll need something to hold:
 - Radio
 - Accessories (batteries, charger, etc.)
 - Clipboard, flashlight, water bottle(s), sunscreen, etc
- Some example options:
 - Belt pouch
 - Backpack
 - Fanny pack
 - Messenger bag
 - Radio harness



© Copyright 2024 Santa Clara County ARES®/RACES. All rights reserved.

77

Second Radio for EmComm

- 2m/440 dual-band Mobile radio
 - Power
 - Typically 50 watts; more power to drive better antennas
 - Flexibility
 - Mobile in car directly wired to battery
 - Use as base station with power supply
 - Use as field emergency Net Control with sealed lead acid (gel-cell) or Lithium Iron Phosphate (LiFePo) batteries
 - Cross-band repeater option recommended
 - Data interface option recommended (for packet use)



© Copyright 2024 Santa Clara County ARES®/RACES. All rights reserved.

78

Standard Equipment for ARES/RACES

Santa Clara County ARES®/RACES Go Kit Checklists		Rev: 2009-Oct-17
Legend:		
X = Required (must have in kit at all times)		
R = Recommended (likely needed on most assignments)		
O = Optional (useful on some assignments)		
2-Hour Carry Kit		
Purpose: To be kept nearby at all times for immediate (within minutes) communication of damage reports during Resource Net Level 1 ops. Also used to remain in contact with Resource Net Level 2 while returning home to retrieve 12-hour Go-Kit.		
Items:		
X 2m/70cm dual-band radio	• HT recommended (min. 5W on 12V/2.5W on batt)	• Mobile 25W optional (if vehicle will not be far away)
• Programmed with Resource Net frequencies		
X Charged batteries for 2-3 hours operation		
X Mobile antenna (mag mount or existing mobile antenna)		
X Modified Mercalli (Mike-Mike) scale		
X Notepad / pens		
R Cigarette lighter adapter		
R Emergency county and city telephone contact list		
R Cell phone		
R Water (16 oz.)		
12-Hour Go Kit		
Purpose: For fully independent operation, unknown environment (heat, cold, wind, rain), unknown time (day, night, up to 12 hours). Return home to retrieve.		
Equipment		
Portable Radio:		
X 2m/70cm dual-band handie-talkie (HT)	• minimum 5W on 12V/2.5W on batteries [Note 1]	• dual-recv recommended
X Radio user manual or cheat sheet		
X Earbud or headphones minimum; headset, earbud/mic, or speaker/mic/earbud, or similar recommended		
R Small backpack, vest, chest harness or other similar method for carrying HT while operating portable		
Power Source:		
X Charged batteries for 12 hours (min. 3000 mAh) [Note 2]		
X Power cord adapters – connect to various power sources:		
• Powerpoles		
• Cigarette lighter socket		
• Vehicle battery terminals		
X Spare fuses		
R Powerpole splitter or fused distribution panel		
Antennas:		
R Extension cord, 3-wire, 3-6 ft., multi-outlet		
O Extension cord, 3-wire, 50-100 ft.		
O Power Inverter		
R 2m/70cm high gain HT antenna		
X 2m/70cm dual-band magnetic mount antenna		
R 2m/70cm dual-band portable base antenna (e.g. roll-up J-pole or other)		
R Portable mast (elevates antenna min. 10 ft.)		
R Tripod or self-supporting base for mast		
R Window clip antenna mount		
X Coax adapters to connect HT to existing antennas:		
• BNC plug (male) & BNC socket (female)		
• UHF plug (PL-259) & UHF socket (SO-239)		
• N-type plug (male) and N-type socket (female)		
Other Communications Gear:		
R Cell phone & charger and/or cigarette lighter adapt.		
O PPS/GMRS Radio		
O Satellite phone		
Tools:		
R Duct tape		
R Electrical tape		
R Nylon Tie-Wraps/wire ties		
R Utility knife		
R Small multi-tool or tool kit		
O Volt-Ohm meter		
O SWR/Power meter		
Operating Position:		
X Sign(s) for operating position		
R Light(s) for operating position		
R Rope or Dacron cord (50')		
R Folding chair		
O Magnetic sign for car		
O Folding table		
O Pop-up Canopy		
O Tarp (8' by 8' or larger)		
O Folding cart		
O Safety strobes or flares		
O Caution/flagging tape (for marking cables, antennas, ...)		
Documentation		
Identification:		
X CA Driver's license or CA-issued ID card		
X Amateur Radio license		
X County DSW card		
X SCCo-issued ID badge; other city badges		
Maps:		
X Thomas Guide for Santa Clara County		
X Compass or GPS		
R Maps of antenna locations (if available)		

- 2 hr Carry Kit (required)
 - Nearby at all times
 - In car is o.k. if nearby
 - Immediate damage reports
 - City net check-ins
 - If cities activate
- 12 hr Go Kit (required)
 - Fully independent ops for 12 hrs
 - Return home to retrieve
- Extended Kit (optional)
- Recommended for everyone
- Talk to the other hams in your city ARES/RACES group for recommendations

<https://www.scc-ares-races.org/operations.shtml>

© Copyright 2024 Santa Clara County ARES®/RACES. All rights reserved.



EmComm Organizations

National / State / Regional
County

Multi-City Groups

City ARES/RACES teams

How to get connected

ARES / RACES / CRU (formerly ACS)

- **ARES: Amateur Radio Emergency Service**
 - A division of ARRL Field Services
 - What we are day-to-day
- **RACES: Radio Amateur Civil Emergency Service**
 - Official unit under FEMA; defined by FCC Part 97.407
 - What we are when activated by government agency
- **CRU: Communication Reserve Unit (formerly ACS)**
 - California RACES under Cal OES
 - Includes RACES, MARS, and other radio comm groups
- **Increasingly, organizations are joint ARES/RACES/CRU**
 - Santa Clara County merges all three



County ARES/RACES/CRU



- Santa Clara County ARES/RACES
 - Weekly Nets
 - Monthly training classes
 - Quarterly drills
 - Public service events
 - <https://www.scc-ares-races.org/>
 - Served by two groups: SPECS, SVECS

Santa Clara County ARES/RACES

- Southern Peninsula Emergency Communication System (SPECS)
 - Los Altos, Los Altos Hills, Mountain View, NASA/Ames, Palo Alto, Stanford, Sunnyvale
 - Weekly Net: Monday @ 2000 hrs on W6ASH (145.270 – 100.0)
 - <http://www.specsnet.org/>
- Silicon Valley Emergency Communications System (SVECS)
 - Campbell, Cupertino, Los Gatos, Milpitas, NASA/Ames, San Jose, Santa Clara, Saratoga, Sunnyvale and South County
 - Weekly Net: Tuesday @ 2000 hrs on AA6BT (146.115 + 100.0) and K6SNY (443.275 + 107.2 Hz)
 - <http://www.svecs.net/>

Santa Clara County ARES/RACES Leadership

ARES District Emergency Coordinator (DEC) RACES Chief Radio Officer (CRO) ACS Officer				
Name, Call Sign	Phone	E-mail	Ctrl-10	Responsibility
Tim Howard, KE6TIM	(408) 891-0045 (C)	KE6TIM @ arrl . net	OEM11	Mutual Aid Coordinator Credential Program Mgr
ARES Assistant District Emergency Coordinators (ADEC) RACES Deputy Chief Radio Officers (DCRO)				
Name, Call Sign	Phone	E-mail	Ctrl-10	Responsibility
Jim Clark, N6JRC	(650) 823-3265 (C)	N6JRC @ arrl . net	OEM15	Database Administrator
Jeff Grafton, AJ6XZ	(571) 239-1989 (C)	jgrafton @ gmail . com	OEM12	
Judy Halchin, KK6EWQ	(408) 533-2517 (C)	halchin @ mac . com	OEM14	Training Coordinator
Mark Laubach, K6FJC	(650) 996-2219 (C) (408) 867-4806 (VM)	K6FJC @ arrl . net	OEM16	Frequency Coordinator EOC Documentation & PC Updates
Andreas Ott, K6OTT	(408) 431-8727 (C)	K6OTT @ arrl . net	OEM13	Network Manager

<https://www.scc-ares-races.org/staff.shtml>

SCCo City Emergency Coordinators (ECs)

ARRL Emergency Coordinators / RACES Radio Officers

City	Name, Call Sign	E-mail	Phone
Campbell	Barton Smith, N6HDN	n6hdn @ arrl . net	(408) 379-2875 (H) (408) 679-2529 (C)
Cupertino	Jim Oberhofer, KN6PE	kn6pe @ arrl . net	(408) 839-8798
Gilroy	Pat Moore, K6PMM	pqm @ garlic . com	(408) 842-7873
Loma Prieta Region	Dan Pugh, KM6GNG	dan_pugh @ verizon . net	(408) 375-5833
Los Altos	Jim Clark, N6JRC	n6jrc @ arrl . net	(650) 823-3265
Los Altos Hills	Neil Katin, K2LL	lah-ec @ askneil . com	(650) 762-6345
Los Gatos	Patrick Dirks, N6PWD	n6pwd @ arrl . net	(408) 718-8983 (C)
Milpitas	Paul Ellis, KM6IAO	pje5547 @ gmail . com	(661) 904-0047 (C)
Monte Sereno	Patrick Dirks, N6PWD	n6pwd @ arrl . net	(408) 718-8983 (C)
Morgan Hill	Gary Goelkel, K6GMG	gary . goelkel @ mhares . net	(408) 823-0505 (C)
Mountain View	Leslie Grimm, KK6EKN	kk6ekn @ arrl . net	(650) 969-2349
NASA-Ames	Mark Allard, KD6CWM	mallard @ mail . arc . nasa . gov	(408) 267-3688
Palo Alto	Jack Pines, W1VSL	jack @ pines . com	(650) 269-3203
San Jose	Nigel Gore, AF6ZF	AF6ZF @ arrl . net	(408) 682-0855
Santa Clara	Bill Rainey, K6WAR	k6war @ sonic . net	(408) 554-8320
Saratoga	Don Steinbach, AE6PM	ae6pm @ arrl . net	(408) 867-3912 (H) (408) 406-2388 (C)
Stanford	Lea Roberts, WA6ITV	lea . roberts @ stanford . edu	
Sunnyvale	Wolfgang Polak, AI6SL	wolfgang . polak @ gmail . com	408-799-9210 (C)

<https://www.scc-ares-races.org/cities.shtml>

© Copyright 2024 Santa Clara County ARES®/RACES. All rights reserved.

85

DSW = Disaster Service Worker

- For RACES, you must be registered as a DSW
 - City events require city registration (contact your EC)
 - County events require county registration
 - Applies to some training events as well as real incidents
 - Entitles you to State Worker's Comp Insurance if injured
- Process is simple
 - Take an oath and fill out a form (one for city; one for county)
- Rules for DSW Coverage
 - You must be activated
 - You must be assigned
 - You must be trained and supervised
 - You must act within the scope of your training and assignment
 - Will cover in more detail in the next class

Activations

What Should I Do When the Shaking Stops?

- Check your family and your home
 - Without question, your family and home come first
 - You're no good to anyone if you're worried about things at home
- Check-in/Monitor county resource net
 - Primary: AA6BT (146.115 + 100.0 Hz)
 - North: W6ASH (145.270 - 100.0 Hz) (linked during event)
 - South: K6SNY (443.275 + 107.2 Hz) (linked during event)
- If asked give damage survey (Mike-Mike covered in next class)
- Review your go-kit and make sure you're ready
- Listen for city EOC to activate
- When instructed, switch to city frequency
- Check-in with your City Net control
- Standby for assignment and activation
 - Make sure your family will be o.k. if you take an assignment

Next Steps

What to do when you walk out the door today ...

Local Amateur Radio Clubs

EmComm Training

Action Items

Local Amateur Radio Clubs

- Palo Alto Amateur Radio Association (PAARA)
 - Meetings: 1st Friday of the month at 7:30 p.m.
 - Net: Monday 8:30pm on N6NFI/R (145.230 – 100 Hz)
 - <http://www.paara.org/>



- Foothill Amateur Radio Society (FARS)
 - Meetings: 4th Friday of the month at 7:00 p.m.
 - Net: Thursday 8:30pm on N6NFI/R (145.230 – 100 Hz)
 - <https://www.fars.k6ya.org/>

Foothills Amateur Radio Society

- Northern California Contest Club (NCCC)
 - Meetings: 2nd Monday of the Month
 - <https://www.nccc.cc/>



- Northern California DX Club (NCDXC)
 - Net: Thursday 8pm W6TI/R (147.360 + 110.9 Hz)
 - <https://www.ncdxc.org/>




EmComm Training

- SCC ARES/RACES Training
 - Monthly training classes – generally the 1st Sat. of the month
 - Quarterly drills/practice sessions
 - City and county public service events
 - <https://www.scc-ares-races.org/training/>



Recommended next class:
**“Fundamentals of
 Emergency Communications”**

- ARRL Training and Books
 - License Manual, Antenna Book, other great books
 - Amateur Radio Emergency Comms Courses, ...
 - <https://www.arrl.org/catalog>
- FEMA NIMS/ICS/SEMS Training
 - IS-100, IS-200, IS-700, SEMS...
 - <https://www.scc-ares-races.org/training/em-courses.shtml>
- Red Cross Training
 - Introduction to Disaster Services, Shelter Ops, ...
 - <https://www.redcross.org>



© Copyright 2024 Santa Clara County ARES®/RACES. All rights reserved.

90

Action Items



- Get the right radio and accessories
 - Talk to your city EC/AECs for more recommendations
- Join your city ARES/RACES group
 - Weekly nets, training, quarterly drills, operating activities
 - <https://www.scc-ares-races.org/activities>
- Learn your radio(s) inside and out
 - Simplex, duplex, offset, tone, memory, reset, etc
- Build your go-kit
 - <https://www.scc-ares-races.org/operations.shtml>
- Join other clubs and participate
 - Getting on the air is the best way to improve your skills
 - Take part in drills, exercises and public service events
- Ask lots and lots of questions
 - Amateur Radio operators are friendly and helpful
- **Above all, GET ON THE AIR and HAVE FUN!**

Theory vs Practice vs Experience



- Learning is more than just attending a class
 - Focus of the classroom is on theory and procedures
 - Practice is hands on experimentation
 - Experience comes at drills and public service events

You need all three to master the subject

Summary



- You should now be able to
 - Explain VHF/UHF FM technology used in EmComm
 - Use band plans, frequency lists, repeater directories
 - Configure your radio for simplex & duplex operations
 - Participate in a directed net
 - Make direct contacts
 - List three other modes used in EmComm
 - Select an EmComm radio and accessories
 - Understand local EmComm organizations
 - Understand what to do next, after this class

Final Assignment

Please complete the Class Evaluation within one week.

To get course credit you need to:


- a) Attend at least 90% of the class
- b) Participate in class
- c) Complete the class evaluation

If you do these, you will get credit for the course.

Online Class Evaluation

Log into <https://www.scc-ares-races.org/activities/events.php>
Click "Submit Class Evaluation" in Events

- Home**
- [Log Out](#)
- [Activities Home](#)
- [SCC ARES/RACES Home](#)
- [Comments/Bugs](#)
- Events**
- [List Events By Date](#)
- [List Events I Joined](#)
- [Create a New Event](#)
- [Modify an Event](#)
- [Delete an Event](#)
- [List/Print an Event Roster](#)
- [Log Event Participation](#)
- [Submit Class Evaluation](#)
- My Profile**



Calendar of Events

Show: Current events Past events Event Descriptions

Field Operations Type III, Part B and Type II

Date:	Start:	Type:	Credential Credit?	Location:
06/05/21	9:00 AM	County Training	Yes	55 W Younger Ave, San Jose

Prerequisites, Course Description, and Course Materials: See the Field Communicator Type III Part B and Type II page for co...

Introduction to Emergency Communications - NIGHT CLASS (Zoom)

Credential

Thank You!

Join the Announce Group to be notified of training, exercises, and other things of interest related to EmComm
<https://scc-ares-races.groups.io/g/announce>

If you have questions or feedback about this or other training activities, you can join our Training discussion group.

<https://scc-ares-races.groups.io/g/training>

This is a moderated group.

Make sure you are signed up for the next class:
Fundamentals of Emergency Communications



Exercise is Next

© Copyright 2024 Santa Clara County ARES®/RACES. All rights reserved.

Optional Exercise: Get On The Air



- Objective: Contact “Net Control” on each of the following frequencies and report your first name:
 - Simplex 147.570 MHz
 - Repeater 444.525 MHz + 94.8

- Recommended Sequence
- Call Net Control
 - “Net Control, this is <your call sign> with one routine message.”
- Net Control will answer
 - “<your call sign>, go ahead.”
- Report your first name and end with your call sign
 - “Net Control, my first name is <your name>. This is <your call sign>.”
- Listen for Net Control to acknowledge
 - “Net Control acknowledges <your call sign> <your name>.”
- If any corrections are needed, remember to end your conversation with your call sign

YOU
NET CONTROL